



15 Gauge HPPE Liner With PU Coated Cut Resistant Work Glove(Cut 201A)

Coated Work Gloves Manufacture Since 2011

SPECIFICATION

PRODUCT DESCRIPTION

Liner HPPE combined with PE silk, Nylon, Acrylic, Fiberglass which provide the glove cut level to 5, suitable to most of the high cut risk conditions. PU coating with good felxible performance and high abrasion performance level to 4. 15G HPPE is thinner than 13 gauge



APPLICATIONS

√ Construction
√ Furniture manufacturing

√ Glass Process ✓ Automobile subassembly

√ Car and ship Manufacture
√ Intricate assembly

√ Light sheet metal assembly

FEATURES

Color: Grey/Grey

Liner Material: Cut 5 HPPE

Coating Material: PU

Finishing: Palm Coated

Package: 12pairs/bag,120pairs/carton

Printing: ink/silk/heat transfer

ADVANTAGES

√ Cut level 5

√ High flexible performance

√ Good abrasion

√ Durable long lifetime

√ Thinner and good touch feeling

√ Soft and elastic cuff

EN388 MECHANICAL RISKS



Charater	Level 1	Level 2	Level 3	Level 4	Level 5
Abraison resistance(number of cycles)	100	500	2000	8000	-
Blade cut resistance(index)	1.2	2.5	5	10	20
Tear resistance (N)	10	25	50	75	-
Puncture reisitance	20	60	100	150	-
Cut resistance method (EN ISO 13997)	A to F				