



**EverPro**  
**GLOVES**

Coated Work Gloves Manufacture Since 2011



**EverPro**  
**GLOVES**

Coated Work Gloves Manufacture Since 2011


A: Danshan Industrial Park, Chengyang District, Qingdao, China

P: 86 532 8688 7931

M: 86 152 6522 7257

E: [info@everprosafety.com](mailto:info@everprosafety.com)

[www.everprogloves.com](http://www.everprogloves.com)



**QINGDAO EVERPRO SAFETY**  
**PRODUCT CO.,LTD**



# About US

Everpro Gloves-Professional manufacture for rubber coated work gloves since 2011.

1. Built in 2011, own four production lines and 100 workers which located in Qingdao, Shandong province. And in the year of 2018, we invested another manufactory in Nantong, Jiangsu province, which owns five production lines and 120 workers. We can supply 30000 dozens a day total.
2. Production range including : coated cut resistant gloves, latex coated gloves, nitrile coated gloves, PU coated gloves, PVC coated gloves and heat resistant gloves. More than 100 types which can be suitable most working place and environment.
3. With our high service level, super quality and reasonable price. As an OEM supplier. Our clients are worldwidely. Including the USA, Canada, Mexico, Brazil, Chile, Singapore, Germany, England, Estonia, Netherlands and so on. As well as many Chinese trading companies.
4. We have got the ISO9001. For most gloves, we got the New EU ( old CE certification) issued by CTC and Intertek. And for some types of liner we can meet the OEKO-TEX STANDARD 100 and with the corresponding mark.





# Europe Standard About Working Gloves

## EN388



a b c d e f  
Impact protection  
Cut(TDM)  
Puncture  
Tear  
Blade cut(coup)  
Abrasion

EN388 Mechanical Risks					
Charater	Level 1	Level 2	Level 3	Level 4	Level 5
Abraison resistance(number of cycles)	100	500	2000	8000	-
Blade cut resistance(index)	1.2	2.5	5	10	20
Tear resistance (N)	10	25	50	75	-
Puncture resistance	20	60	100	150	-
Cut resistance method (EN ISO 13997 )	A to F				

- Heat and flame protection
- a.Resistance to flammability (0-4)
  - b.Resistance to contact heat (0-4)
  - c.Resistance to convective heat (0-3)
  - d.Resistance to radiant heat (0-4)
  - e.Resistance to small drops of molten metal.
  - f.Resistance to large quantity of molten metal

## EN407



## EN 511



Protection against cold  
This standard defines the requirements and test methods for cold protection gloves cold from transmitted by convention or conduction down-50°C.  
Protection against cold is expressed by a pictogram followed by a series of 3 performance levels, relating to specific protective qualities.

## CE Food directive



The Framework Regulation (EC) 1935/2004 states that food contact materials shall be safe. They shall not transfer their components into the food in quantities that could endanger human health, change the composition of the food in an unacceptable way or determine the taste and odour of foodstuffs.

## EN374-2



Protection against dangerous microorganism

## EN374-3




- Protection against chemicals
- |                         |                      |
|-------------------------|----------------------|
| A: Methanol             | B: Acetone           |
| C: Acetonitrile         | D: Dichloromethane   |
| E: Carbon Disulfide     | F: Toluene           |
| G: Diethylamine         | H: Tetrahydrofuran   |
| I: Ethyl Acetate        | J: n-Heptane         |
| K: Sodium hydroxide 40% | L: Sulfuric Acid 96% |



Chemical hazards

# EN420



Glove size(length)	6/XS	7/S	8/M	9/L	10/XL	11/XXL
Min. length of glove	22cm/8.7in	23cm/9.1in	24cm/9.4in	25cm/9.8in	26cm/10.2in	27cm/10.6in
Width of palm	6.5-7.5cm 2.5-2.9in	7.5-8.5cm 2.9-3.4in	8.5-9.5cm 3.4-3.8in	9.5-10.5cm 3.8-4.2in	10.5-11.5cm 4.2-4.6in	14.5-12.5cm 4.6-5.0in
Length of palm	17.0-17.9cm 6.6-7.0in	18.0-19.9cm 7.0-7.8in	20-20.9cm 7.8-8.2in	21-21.5cm 8.2-8.5in	21.6-22.1cm 8.5-8.7in	22.2-22.5cm 8.7-8.9in



ANSI/ISEA (105-2016)  
Directive 89/686/EEC on personal protective equipment



New ANSI cut scores will feature an “A” in front of the scores

The American National Standards Institute (ANSI) has released a new edition of the ANSI/ISEA 105 standard-2016. The changes include new classification levels, which includes a new scale to determine the ANSI cut score and revised method for testing gloves to the standard.


The new ANSI standard features nine cut levels that reduces the gaps between each level and better defines protection levels for the cut resistant gloves and sleeves with the highest gram scores.

ANSI/ISEA 105: Main Changes (2016)

The majority of the proposed changes involve cut resistance testing and classification.

Recommended changes include:

- 1)Using a single testing method for more reliable ratings overall
- 2)More classification levels for increased accuracy in test results and safety
- 3)Addition of a needle stick puncture test for increased level of protection against puncture threats



COATING INFORMATION

For the coated gloves , now mainly have 4 types coating , they are Latex ,Polyurethane , Nitrile, and PVC . Here we will introduce some details about this 4 type coating material.

Latex

Latex is a stable dispersion (emulsion) of polymer microparticles in an aqueous medium. It is found in nature, but synthetic latex can be made by polymerizing a monomer such as styrene that has been emulsified with surfactants. It is a complex emulsion consisting of proteins, alkaloids, starches, sugars, oils, tannins, resins and gums that coagulate on exposure to air . Some people have a serious latex allergy, and exposure to latex products such as latex gloves can cause anaphylactic shock .Guayule latex has only 2% of levels of protein found in Hevea latexes, and is being researched as a lower-allergen substitute. Latex gloves have better elasticity and softness than NBR gloves .But latex gloves have worse abrasion resistance and oil resistance than NBR gloves.

PU (Polyurethane)

Polyurethane is a polymer composed of organic units joined by carbamate (urethane) links. Polyurethane polymers are traditionally and most commonly formed by reacting a di- or poly-isocyanate with a polyol. Both the isocyanates and polyols used to make polyurethanes contain, on average, two or more functional groups per molecule .PU gloves are widely used in many industries as they have good dustproof property , brilliant abrasion resistance and excellent dexterity.

NBR (Nitrile Butadiene Rubber)

Nitrile rubber, also known as Buna-N, Perbunan, acrylonitrile butadiene rubber, and NBR, is a synthetic rubber copolymer of acrylonitrile (ACN) and butadiene. It is used in the automotive and aeronautical industry to make fuel and oil handling hoses, seals, grommets, and self-sealing fuel tanks, since ordinary rubbers cannot be used. It is used in the nuclear industry to make protective gloves. NBR's ability to withstand a range of temperatures from -40 to 108 °C (-40 to 226 °F) makes it an ideal material for aeronautical applications. Nitrile rubber is more resistant than natural rubber to oils and acids, and has superior strength, but has inferior flexibility. Nitrile rubber is less likely to cause an allergic reaction than natural rubber . Nitrile rubber is generally resistant to aliphatic hydrocarbons.NBR gloves have excellent abrasion resistance, great dexterity and good oil resistance .

PVC

Polyvinyl chloride, also known as poly vinyl or vinyl , commonly abbreviated PVC, is the world's third-most widely produced synthetic plastic polymer, after polyethylene and polypropylene.PVC comes in two basic forms: rigid (sometimes abbreviated as RPVC) and flexible. The rigid form of PVC is used in construction for pipe and in profile applications such as doors and windows.It can be made softer and more flexible by the addition of plasticizers, the most widely used being phthalates. In this form, it is also used in plumbing, electrical cable insulation, imitation leather, flooring, signage, phonograph records,[9] inflatable products, and many applications where it replaces rubber. PVC is chemically resistant to acids, salts, bases, fats and alcohols.

Type	Latex	Nitrile	PU	PVC
Characters	1. Soft and good elasticity ; 2. Good abrasion resistant and mechanical properties; 3. Certain anti-acid and anti-alkali	1. Excellent abrasion resistance ; 2. Good oil resistance & Certain chemical resistance; 3. Allergy free	1. Excellent dexterity ; 2. Good abrasion resistance; 3. Good hand feeling	1. Excellent chemical resistance ; 2. Good adrasion resistance; 3. Good mechanical properties
Dexterity	★★★★	★★★★	★★★★★	★
Abrasion Resistance	★★★★	★★★★★	★★★★	★★★★
Anti- acid	★	★★	★	★★★★
anti-alkali	★★	★★★★	★	★★★★
Oil resistance	★	★★★★★	★	★★★★★

The Laboratory We Cooperate





# Cut Resistant Glove

## Food Grade HPPE Cut Glove (Cut-101)

<b>Material</b>	HPPE special fiber (PE silk, glass fiber, polyester and spandex),no odor
<b>Performance Level</b>	EN388 4X42C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	1pair/ bag; 12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut resistant, Food grade
<b>Application</b>	Food Processing, Construction, Glass Industry, Security, etc



## 13G HPPE PU Coated Glove (Cut-201)

<b>Material</b>	13 Gauge HPPE (or Cut PE), PU
<b>Performance Level</b>	EN388 4X43C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag , 120pairs/carton
<b>Characteristic</b>	Cut-resistant, Super flex
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding, etc

## 15G HPPE PU Coated Glove (Cut-201A)

<b>Material</b>	15 Gauge HPPE (or Cut PE), PU
<b>Performance Level</b>	EN388 4X43C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut resistant, Super Flex
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding ,etc



## 13G HPPE Latex Crinkle Glove (Cut-301)

<b>Material</b>	13 Gauge HPPE (or Cut PE), Latex Crinkle
<b>Performance Level</b>	EN388 4X43C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti-slip
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding ,etc

## 13G HPPE Latex Sandy Glove (Cut-401)

<b>Material</b>	13 Gauge HPPE(or Cut PE), Latex Sandy
<b>Performance Level</b>	EN388 4X42C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut resistant, Dry and wet use, Breathability
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding, etc





### 13G HPPE Nitrile Coate Gloved (Cut-501)

<b>Material</b>	13 Gauge HPPE(or Cut PE), Nitrile
<b>Performance Level</b>	EN388 4X43C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12 pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut resistant, Oil-resistant
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding, etc



### 15G HPPE Microfine Foam Nitrile Thumb Reinforcement Glove (Cut-801)

<b>Material</b>	15 Gauge HPPE,Nitrile Microfine Foam, Thumb Reinforcement
<b>Performance Level</b>	EN388 4X42C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Oil-resistant, Super Flex, Breathability
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding, etc



### 13G HPPE Nitrile Sandy Glove (Cut-601)

<b>Material</b>	13 Gauge HPPE(or Cut PE), Nitrile Sandy
<b>Performance Level</b>	EN388 4X43C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12 pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut resistant, Dry and wet use, Breathability
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding, etc



### 13G HPPE Nitrile Fully And Nitrile Sandy Glove (Cut-901)

<b>Material</b>	13 Gauge HPPE, Nitrile Fully and Nitrile Sandy
<b>Performance Level</b>	EN388 4X43D
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Oil resistant, Fully protection, Dry and wet use
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding, etc

### 15G HPPE Sandy Nitrile Thumb Reinforcement Glove (Cut-701)

<b>Material</b>	15 Gauge HPPE,Nitrile Sandy,Thumb reinforcement
<b>Performance Level</b>	EN388 4X42C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Oil-resistant, Dry and wet use, Breathability
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding, etc



### 13G HPPE Nitrile Foam Dots Glove (Cut-1001)

<b>Material</b>	13 Gauge HPPE, Nitrile Foam, Dots
<b>Performance Level</b>	EN388 4X42C
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut resistant, Oil-resistant, Anti-slip
<b>Application</b>	Construction, Glass Industry, Metal Processing, Assembly, Car Repair, Shipbuilding, etc





# Latex Coated Glove

## 10G 5 Yarn Polyester Latex Crinkle Glove (HG-L101)

<b>Material</b>	Liner-10 gauge 5 yarn polyester/cotton Coating-Crinkle Latex
<b>Performance Level</b>	EN388 2143X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	High Dexterity, Anti-slip, Soft
<b>Application</b>	Construction, Garden, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## 10G 2 Yarn Polycotton Latex Crinkle Glove (TC-L201)

<b>Material</b>	Liner-10 gauge 2 yarn polycotton Coating-Crinkle Latex
<b>Performance Level</b>	EN388 2143X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	High Dexterity, Anti-slip, Economic
<b>Application</b>	Construction, Garden, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc

## 13/15G Polyester/Nylon Latex Crinkle Glove (PT-L301)

<b>Material</b>	Liner-13/15 Gauge Polyester/Nylon Coating-Crinkle Latex
<b>Performance Level</b>	EN388 3142X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Light Weight, Anti-slip
<b>Application</b>	Construction, Garden, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## 13/15G Polyester/Nylon Latex Sandy Glove (PT-L401)

<b>Material</b>	Liner-13 /15 Gauge Polyester /Nylon Coating-Latex Sandy
<b>Performance Level</b>	EN388 2121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super Touch, Breathability, Wet and dry use
<b>Application</b>	Construction, Garden, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc

## Power Grab Plus 10 Gauge Polyester Sandy Latex Thumb Glove (PT-L501)

<b>Material</b>	Liner-10 gauge 5 yarn polyester/cotton Coating-Latex Sandy , Thumb Coated
<b>Performance Level</b>	EN388 3242X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super Touch, Breathability, Wet and dry use
<b>Application</b>	Construction, Garden, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc





## 10 Gauge Polycotton Double Color Latex Smooth Glove (TC-L601)

<b>Material</b>	Liner-10 Gauge 2 Yarn Polycotton Coating-Double Latex
<b>Performance Level</b>	EN388 3131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Long Lifetime
<b>Application</b>	Construction, Garden, Wood processing,Logistic, Metal smelting ,Auto repair ,Agriculture, etc




## 10 Gauge 5 Yarn Polyester/Cotton Crinkle Latex Half 3/4 Glove (HG-L102)

<b>Material</b>	Liner-10 Gauge 5 Yarn Polyester/Cotton Coating-Crinkle Latex
<b>Performance Level</b>	EN388 2143X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	High Dexterity, Anti-slip, Soft
<b>Application</b>	Construction, Garden, Wood processing,Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## 10 Gauge Polycotton Smooth Latex Glove (TC-L701)

<b>Material</b>	Liner-10 Gauge 2 Yarn Polycotton Coating-Latex Smooth
<b>Performance level</b>	EN388 3121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Friendly to skin
<b>Application</b>	Construction, Garden, Wood processing,Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## 13/15 Gauge Polyester/Nylon Crinkle Latex 3/4 Half Glove (PT-L1001)

<b>Material</b>	Liner-13/15 Gauge Polyester/Nylon Coating-Crinkle Latex
<b>Performance Level</b>	EN388 4122X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Light Weight, Soft
<b>Application</b>	Construction, Garden, Wood processing,Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## 13/15 Gauge Polyester/Nylon Foam Latex Glove (TC-L801)

<b>Material</b>	Liner-13/15 Gauge Polyester/Nylon Coating-Latex Foam
<b>Performance Level</b>	EN388 2121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super Touch, Good Feeling
<b>Application</b>	Construction, Garden, Wood processing,Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## 13/15 Gauge Polyester/Nylon Wave Crinkle Latex 3/4 Half Glove(PT-L1101)

<b>Material</b>	Liner-13/15 Gauge Polyester/Nylon Coating-Crinkle Wave Latex
<b>Performance Level</b>	EN388 3141X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Anti-slip, Soft
<b>Application</b>	Construction, Garden, Wood processing,Logistic, Metal smelting ,Auto repair ,Agriculture, etc





## 13/15 Gauge Polyester/Nylon Half Sandy Thumb Latex Glove (PT-L1201)

<b>Material</b>	Liner-13/15 Gauge Polyester/Nylon Coating-Latex Half And Sandy
<b>Performance Level</b>	EN388 3121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super Touch, Breathability, Wet and dry use
<b>Application</b>	Construction, Garden, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## Painted Polyester Crinkle/Foam Latex Garden Glove (PT-L1301)

<b>Material</b>	Liner-13/15 Gauge Polyester Coating- Latex Crinkle/Foam
<b>Performance Level</b>	EN388 2121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Good Touch Feeling
<b>Application</b>	Construction, Garden, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



# Nitrile Coated Glove

## Super Flex 15 Gauge Nylon Spandex Nitrile Microfine Foam Glove (34-874)

<b>Material</b>	Liner-15G Nylon and Spandex Coating-Nitrile Microfine Foam
<b>Performance Level</b>	EN388 4131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super Soft Feeling , Water Washed, High Abrasion
<b>Application</b>	Gardening, Family Tools, Auto Repair, Mechanical Operations, Construction, Hardware, etc



## 13/15 Gauge Polyester/Nylon Nitrile Sandy Glove (PT-N201)

<b>Material</b>	Liner-13/15G Polyester/Nylon Coating-Nitrile Sandy
<b>Performance Level</b>	EN388 3121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Oil Resistant, Wet and dry use, Breathability
<b>Application</b>	Gardening, Family Tools, Auto Repair, Mechanical Operations, Construction, Hardware, etc





### 13/15 Gauge Polyester/Nylon Nitrile Palm Glove (PT-N301)

<b>Material</b>	Liner-13/15G Polyester/Nylon Coating-Nitrile Smooth
<b>Performance Level</b>	EN388 4131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super soft feeling ,water washable
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc



### 15 Gauge Nylon With Spandex Lunar Foam Nitrile Glove (11-801)

<b>Material</b>	Liner-15G Nylon Spandex Coating-Nitrile Lunar Foam
<b>Performance Level</b>	EN388 3131A
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super Flex , Light Touch, Oil Resistant
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc



### 13/15 Gauge Polyester/Nylon Nitrile Palm Glove (PT-N401)

<b>Material</b>	Liner-13/15G Polyester/Nylon Coating-Nitrile Smooth
<b>Performance Level</b>	EN388 4122X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Oil Resistant, Economic
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc



### 13/15 Gauge Polyester/Nylon Nitrile Half Coated Glove (PT-N701)

<b>Material</b>	Liner-13/15G Polyester/Nylon Coating-Nitrile Smooth
<b>Performance Level</b>	EN388 4121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Oil Resistant, Good Abrasion
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc

### 13/15 Gauge U3 Zebra Polyester/Nylon Nitrile Palm Glove (PT-N501)

<b>Material</b>	Liner-13G Polyester/Nylon Zebra Coating-Nitrile Smooth
<b>Performance Level</b>	EN388 4122X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Oil Resistant, Economic, Anti-slip
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc



### 15 Gauge Polyester/Nylon Nitrile Fully Coated Glove (PT-N801)

<b>Material</b>	Liner-13/15G Polyester/Nylon Coating-Nitrile Fully
<b>Performance Level</b>	EN388 4121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Oil Resistant More Protection
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc





## 15 Gauge Polyester/Nylon Nitrile Fully And Sandy Glove (PT-N901)

<b>Material</b>	Liner-15G Nylon/Polyester Coating-Nitrile Sandy
<b>Performance Level</b>	EN388 4121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Full Protection, Wet and dry use
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc



## 15 Gauge Polyester/Nylon Fully Nitrile And Foam Nitrile Glove (PT-N1201)

<b>Material</b>	Liner-15G Polyester /Nylon Coating-Nitrile Fully and nitrile foam
<b>Performance Level</b>	EN388 4131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Full Protection, Soft Feeling, Super Touch
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc



## Heavy Duty Cotton Jersey Nitrile Fully Or Half Coated Glove (PT-N1001)

<b>Material</b>	Liner-Cotton Jersey Safety /Knit Cuff Coating-Nitrile Fully or Half
<b>Performance Level</b>	EN388 4121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Heavy Duty Oil Resistant, Warmproof
<b>Application</b>	Oil & Gas Industrial, Chemical Industrial, Auto Repair, Mechanical,Construction, Hardware, etc



## 13/15 Gauge Polyester/Nylon Foam Nitrile Anti Slip Dots Glove(PT-N1301)

<b>Material</b>	Liner-15G Nylon and Spandex Coating-Nitrile Microfine Foam With Dots
<b>Performance Level</b>	EN388 4121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super soft feeling ,water wash,Anti-slip
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc

## Heavy Duty Cotton Interlock Nitrile Fully Or Half Glove (PT-N1101)

<b>Material</b>	Liner-Cotton Interlock Knit Cuff Coating-Nitrile Fully or Half
<b>Performance Level</b>	EN388 4121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Soft, Oil Resistant
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc



## 13/15 Gauge Polyester/Nylon Foam Nitrile Glove(PT-N1401)

<b>Material</b>	Liner-13/15G Nylon or Polyester Coating-Nitrile Foam
<b>Performance Level</b>	EN388 4121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super soft feeling and oil resistant
<b>Application</b>	Gardening, Family Tools, Auto Repair,Mechanical Operations, Construction, Hardware, etc





# PU Coated Glove

## 13/15 Gauge Polyester/Nylon Black Shell Black PU Glove (PU101)

<b>Material</b>	Liner-13/15 gauge black polyester/nylon Coating- black PU coated
<b>Performance Level</b>	EN388 3131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Flexible feeling ,Excellent Elastic , Good Abrasion
<b>Application</b>	Precision Work, Electronic, Family Tools, Auto Repair, Mechanical Work, etc




## 13/15 Gauge Polyester/Nylon Grey Shell Grey PU Glove (PU102)

<b>Material</b>	Liner-13/15 gauge grey polyester/nylon Coating- grey PU coated
<b>Performance Level</b>	EN388 3131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Flexible feeling ,Excellent Elastic , Good Abrasion
<b>Application</b>	Precision Work, Electronic, Family Tools, Auto Repair, Mechanical Work, etc

## 13/15 Gauge Polyester/Nylon White Shell White PU Glove (PU103)

<b>Material</b>	Liner-13/15 gauge white polyester/nylon Coating- white PU coated
<b>Performance Level</b>	EN388 3131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Flexible feeling ,Excellent Elastic , Good Abrasion
<b>Application</b>	Precision Work, Electronic, Family Tools, Auto Repair, Mechanical Work, etc



## 13/15 Gauge Polyester/Nylon Carbon Shell PU Finger Dipped Glove (PU104)

<b>Material</b>	Liner-13/15 gauge polyester/nylon with fiber Coating- PU coated
<b>Performance Level</b>	EN388 3131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Flexible feeling ,Excellent Elastic , Anti-static
<b>Application</b>	Precision Work, Electronic, Family Tools, Auto Repair, Mechanical Work, etc

## 18 Gauge Nylon PU Glove (PU105)

<b>Material</b>	Liner-18 gauge nylon Coating- PU coated
<b>Performance Level</b>	EN388 3131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Flexible feeling ,Excellent Elastic , Micro-pore structure
<b>Application</b>	Precision Work, Electronic, Family Tools, Auto Repair, Mechanical Work, etc





# PVC Coated Glove

## Cotton Interlock PVC Glove (PVC-101)

<b>Material</b>	Liner-Cotton Interlock Coating-PVC
<b>Performance Level</b>	EN388 4121X EN374
<b>Size</b>	9(L)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Chemical Resistant
<b>Application</b>	Oil & Chemical Industry, Construction, Auto repair, Machine Assembly, Agriculture, etc



## Long Cotton Interlock PVC Glove (PVC102)

<b>Material</b>	Liner-Cotton Interlock Coating-PVC
<b>Performance Level</b>	EN388 4121X EN37
<b>Size</b>	27cm, 30cm, 35cm,40cm,45cm
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	27cm, 30cm, 35cm,40cm,45cm
<b>Application</b>	Oil & Chemical Industry, Construction, Auto repair, Machine Assembly, Agriculture, etc

## Cotton PVC Sandy Glove (PVC103)

<b>Material</b>	Liner-Cotton Interlock Coating-PVC Sandy
<b>Performance Level</b>	EN388 4121X EN374
<b>Size</b>	27cm 30cm 35cm 40cm 45cm
<b>Package</b>	12 pairs /polybag ,72 pairs/carton
<b>Characteristic</b>	Chemical Resistant
<b>Application</b>	Oil & Chemical Industry, Construction, Auto repair, Machine Assembly, Agriculture, etc



## Safety Cuff Cotton Interlock Liner PVC Rough Sandy Glove (PVC104)

<b>Material</b>	Liner-Cotton Interlock Coating-PVC Rough Sandy
<b>Performance Level</b>	EN388 4121X EN374
<b>Size</b>	9(L)-11(XXL)
<b>Package</b>	12pairs/polybag ,72pairs/carton
<b>Characteristic</b>	Chemical Resistant
<b>Application</b>	Oil & Chemical Industry, Construction, Auto repair, Machine Assembly, Agriculture, etc

## Cotton Liner PVC Sandy Glove (PVC105)

<b>Material</b>	Liner-Cotton Coating-PVC Sandy
<b>Performance Level</b>	EN388 4121X EN374
<b>Size</b>	9(L)-11(XXL)
<b>Package</b>	12pairs/polybag ,72pairs/carton
<b>Characteristic</b>	Chemical Resistant
<b>Application</b>	Oil & Chemical Industry, Construction, Auto repair, Machine Assembly, Agriculture, etc





# TPR Anti-impact Glove

## Anti Impact And Cut Resistant 5 HPPE Nitrile Sandy Crotch Protect TPR Glove (TPR-101)

<b>Material</b>	Liner-HPPE cut 5 Coating-Nitrile Sandy And TPR Palm Coated
<b>Performance level</b>	EN388 4X43CP
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## High Vis Anti Impact And Cut Resistant 5 HPPE Nitrile Sandy Crotch Protect TPR Glove (TPR-201)

<b>Material</b>	Liner-HPPE cut 5 High Vis Color Coating-Nitrile Sandy And TPR Palm Coated
<b>Performance level</b>	EN388 4X43CP
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## Anti Impact PVC Coating TPR Glove (TPR-301)

<b>Material</b>	Liner-Cotton Coating-PVC And TPR Coated
<b>Performance level</b>	EN388 4121 P
<b>Size</b>	30cm,35cm.40cm
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc

## Anti Impact And Cut Resistant A5 HPPE Nitrile Sandy Crotch Protect TPR Glove (TPR-401)

<b>Material</b>	Liner-HPPE A5 Coating-Nitrile Sandy And TPR Palm Coated
<b>Performance level</b>	A 5
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## Anti Impact And Cut Resistant 5 HPPE Nitrile Foam Crotch Protect TPR Glove (TPR-501)

<b>Material</b>	Liner-HPPE Cut 5 Coating-Nitrile Foam And TPR Palm Coated
<b>Performance level</b>	EN388 4X43CP
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc







### Anti Impact And Cut Resistant 5 HPPE PU Coat TPR Glove (TPR-601)

<b>Material</b>	Liner-HPPE cut 5 Coating-PU
<b>Performance level</b>	EN388 4X43CP
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



### Goatskin Hyperon-Lined Driver Style Impact Glove (TPR-901)

<b>Material</b>	Liner-Goatskin Coating-TPR
<b>Performance level</b>	XXXXXP
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc

### Anti Impact And Cut Resistant A5 HPPE Nitrile Sandy Crotch Protect TPR Glove (TRX540)

<b>Material</b>	Liner-HPPE A5 Coating-Nitrile Sandy And TPR Palm Coated
<b>Performance level</b>	A5
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



### Goatskin Leather Mesh Driver Style Impact Glove (TRX846)

<b>Material</b>	Liner-HPPE+Goatskin Coating- TPR
<b>Performance level</b>	A5
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



### Goatskin Hyperon-Lined Driver Style Cut Level A5 TPR Glove (TRX743)

<b>Material</b>	Liner-Aramid/Goatskin Coating-TPR
<b>Performance level</b>	A6
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,72pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti impact
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc






# Heat Resistant Glove

## 13 Gauge Aramid/Kevlar With Nitrile Foam Coating NBR Work Glove (HR-101)

<b>Material</b>	Liner-Aramid/Kevlar Coating-Nitrile Foam
<b>Performance level</b>	EN388 4X42B A2
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut-resistant, Heat Resistant
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## 13 Gauge Aramid/Kevlar With Latex Crinkle Coating Work Glove (HR-201)

<b>Material</b>	Liner-Aramid/Kelvar Coating-Latex Crinkle
<b>Performance level</b>	EN388 4X42B
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut-resistant, Anti Heat
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc



## 13/10 Gauge Aramid/Kevlar With Leather Anti-Cut And Anti-heat Work Glove (HR-301)

<b>Material</b>	Liner-Aramid/Kelvar Coating-Leather
<b>Performance level</b>	A5
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Anti cut, Anti heat
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc

## 13/10 Gauge Aramid/Kevlar With PVC Dots Anti-Cut And Anti-heat Work Glove (HR-401)

<b>Material</b>	Liner-Aramid/Kelvar Coating-PVC Dots
<b>Performance level</b>	ASTM 2
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Cut-resistant, heat-resistant
<b>Application</b>	Construction, Wood processing, Logistic, Metal smelting ,Auto repair ,Agriculture, etc





# Winter Work Glove

## Double Liner Polyester Acrylic Loop Napping Latex Fully Sandy Thumb Coated Glove (WT-L101)

<b>Material</b>	Liner-15 gauge polyester/nylon and acrylic loop napping Coating-latex fully ,sandy and thumb coated
<b>Performance level</b>	EN388 3121X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Super warm warmproof ,Waterproof and Oilproof function
<b>Application</b>	Super Cold Climate Outdoor Work





## 7/10 Gauge Acrylic Loop Napping And Latex Crinkle Glove For Winter(WT-L201)

<b>Material</b>	Liner-7/10 gauge acrylic loop napping Coating-latex crinkle
<b>Performance level</b>	EN388 2131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Anti-slip and Warmproof
<b>Application</b>	Winter Outdoor Work

## 7/10 Gauge Acrylic Loop Napping And Latex Thumb Sandy Glove For Winter (WT-L301)

<b>Material</b>	Liner-7/10 gauge acrylic loop napping Coating-latex sandy
<b>Performance level</b>	EN388 2131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Warmproof , Wet and dry use
<b>Application</b>	Winter Outdoor Work




## 7/10 Gauge Acrylic Loop Napping Shell And Latex Foam Warm Winter Gloves (WT-L401)

<b>Material</b>	Liner-7/10 gauge acrylic loop napping Coating-latex foam
<b>Performance level</b>	EN388 2131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Warmproof , Flexible Feeling
<b>Application</b>	Winter Outdoor Work

## 10 Gauge Polyester Brushed Napping Shell And Latex Crinkle Warm Winter Gloves (WT-L501)

<b>Material</b>	Liner-10 gauge polyester brushed napping Coating-latex crinkle
<b>Performance level</b>	EN388 2131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Anti-slip and Warmproof
<b>Application</b>	Winter Outdoor Work





## 10 Gauge Polyester Brushed Napping Shell And Latex Crinkle Half 3/4 Winter Gloves (WT-L601)

<b>Material</b>	Liner-10 gauge polyester brushed napping Coating-latex crinkle half 3/4
<b>Performance level</b>	EN388 2131X
<b>Size</b>	7(S)-11(XXL)
<b>Package</b>	12pairs /polybag ,120pairs/carton
<b>Characteristic</b>	Anti-slip and Warmproof, More protection
<b>Application</b>	Winter Outdoor Work



## BBQ Food Glove

### Aramid /Kevlar Outer Cotton Inside Heat Resistant Silicone Glove (BBQ101)

<b>Material</b>	Liner-Aramid /Kevlar And Cotton Coating-Silicone
<b>Heat Level</b>	Max 800 ℃
<b>Size</b>	25cm,30cm.35cm or customized
<b>Package</b>	1pair/polybag ,50pairs/carton
<b>Characteristic</b>	Heat Resistant, Food Grade
<b>Application</b>	BBQ, Microwave oven,Food process, etc



### Aramid/Kevlar Outer Cotton Heat Resistant Silicone Glove (BBQ201)

<b>Material</b>	Liner-Aramid /Kevlar And Cotton Coating-Silicone
<b>Heat level</b>	Max 800 ℃
<b>Size</b>	25cm,30cm.35cm or customized
<b>Package</b>	1pair/polybag , 50pairs/carton
<b>Characteristic</b>	Heat Resistant, Food Grade
<b>Application</b>	BBQ, Microwave oven, Food process , etc



## HPPE Fiberglass Kevlar/Aramid Cut And Heat Resistant Silicone Glove (BBQ301)

<b>Material</b>	Liner-Aramid /Kevlar And HPPE Coating-Silicone
<b>Heat Level</b>	Max 800℃
<b>Size</b>	25cm,30cm.35cm or customized
<b>Package</b>	1 pair/polybag ,50 pairs/carton
<b>Characteristic</b>	Heat Resistant, Cut Resistant, Food Grade
<b>Application</b>	BBQ. Microwave oven,Food process



## Aramid/Kevlar Outer Cotton Heat Resistant Silicone Glove (BBQ401)

<b>Material</b>	Liner-Aramid /Kevlar And Cotton Coating-Silicone
<b>Heat Level</b>	Max 800℃
<b>Size</b>	25cm,30cm.35cm or customized
<b>Package</b>	1pair/polybag ,50pairs/carton
<b>Characteristic</b>	Heat Resistant, Food Grade
<b>Application</b>	BBQ. Microwave oven,Food process, etc



## Kevlar Outer And Cotton Inside Heat Resistant Shell Glove (BBQ501)

<b>Material</b>	Liner-Aramid /Kevlar And Cotton Coating-Silicone
<b>Heat Level</b>	Max 800℃
<b>Size</b>	25cm,30cm.35cm or customizid
<b>Package</b>	1pair/polybag , 50pairs/carton
<b>Characteristic</b>	Heat Resistant, Food Grade
<b>Application</b>	BBQ. Microwave oven,Food process , etc



# Other Work Gloves

## 10 Gauge Blue Polycotton With Blue PVC Dots Single/Double Sides Glove (EP101)

<b>Material</b>	Liner-10 gauge polycotton Coating-PVC dots
<b>Performance Level</b>	EN388 3121X
<b>Size</b>	22cm 23cm 24cm 25cm
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Anti slip
<b>Application</b>	Family Tools,Auto Repair,Mechanical Operations, Construction,Hardware , etc



## 10 Gauge White Polycotton Blue PVC Dots Single/Double Sides Glove (EP201)

<b>Material</b>	Liner-10 gauge polycotton Coating-PVC dots
<b>Performance Level</b>	EN388 3121X
<b>Size</b>	22cm 23cm 24cm 25cm
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Anti slip
<b>Application</b>	Family Tools,Auto Repair,Mechanical Operations, Construction,Hardware , etc



### Green Nitrile Flocklined Nitrile Household Glove (EP301)

<b>Material</b>	Liner-Flocklined Coating-Nitrile
<b>Color</b>	Customized
<b>Size</b>	S-XL
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Long Lifetime
<b>Application</b>	Family, Tools,Auto Repair,Mechanical Operations, Hardware , etc



### Flocklined Latex Household Glove (EP401)

<b>Material</b>	Liner-Flocklined Coating-Latex
<b>Color</b>	Customized
<b>Size</b>	S-XL
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Economic
<b>Application</b>	Family, Tools,Auto Repair,Mechanical Operations, Hardware , etc



### Black Latex Flocklined Industrial Gloves (EP501)

<b>Material</b>	Liner-Orange flocklined Coating-Black latex
<b>Color</b>	Customized
<b>Size</b>	S-XL
<b>Package</b>	12pairs /polybag ,240pairs/carton
<b>Characteristic</b>	Economic
<b>Application</b>	Industrial work

